

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 09/15/2003

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION N	
10/003,304	12/06/2001	Shunji Nakamura	960456B	7007	
23850	7590 09/15/2003		<u> </u>		
ARMSTRONG,WESTERMAN & HATTORI, LLP			EXAMINER		
1725 K STREET, NW SUITE 1000			NADAV, ORI		
WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER	
			2811		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	No.	Applicant(s)					
-5		10/003,304 NAKAMURA		NAKAMURA, SHU	" SHUNJI				
	Office Action Summary	Examiner		Art Unit					
1 -	<u> </u>	ori nadav		2811	ર્પંદ				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply									
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).  Status									
1)⊠	Responsive to communication(s) filed on 14 J								
2a) <u></u> □	•	is action is n							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims									
4)⊠ Claim(s) <u>2,4-14 and 28-31</u> is/are pending in the application.									
4a) Of the above claim(s) <u>28</u> is/are withdrawn from consideration.									
5) Claim(s) is/are allowed.									
6) Claim(s) is/are rejected.									
7) Claim(s) is/are objected to.									
8) Claim(s) 2.4-14 and 29-31 are subject to restriction and/or election requirement.									
Applicati	on Papers								
9)☐ The specification is objected to by the Examiner.									
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
·	Applicant may not request that any objection to the								
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.									
If approved, corrected drawings are required in reply to this Office action.									
12)☐ The oath or declaration is objected to by the Examiner.									
Priority under 35 U.S.C. §§ 119 and 120									
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).									
a) ☐ All b) ☐ Some * c) ☐ None of:									
1. Certified copies of the priority documents have been received.									
	2. Certified copies of the priority documents have been received in Application No								
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>									
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).									
<ul> <li>a) ☐ The translation of the foreign language provisional application has been received.</li> <li>15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.</li> </ul>									
Attachment(s)									
2) 🔲 Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5		(PTO-413) Paper No( Patent Application (PTC					
U.S. Patent and To		tion Summary		Dod of	Paner No. 9				

an

Application/Control Number: 10/003,304

Art Unit: 2811

## **DETAILED ACTION**

## Election/Restriction

Claims 2, 4-14 and 29-31 directed to semiconductor device are further restricted as follows:

This application contains claims 2, 4-14 and 29-31 directed to the following patentably distinct species of the claimed invention:

- 1. Embodiment of figures 1-8 and 28-29
- 2. Embodiment of figures 9-13
- 3. Embodiment of figures 14-20
- 4. Embodiment of figures 21-23
- 5. Embodiment of figures 24-27
- 6. Embodiment of figures 30-31
- 7. Embodiment of figures 32-38
- 8. Embodiment of figure 39

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, none is generic.

Applicant is advised that a response to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument

1

Application/Control Number: 10/003,304

Art Unit: 2811

that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP '809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

2. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(l).

Application/Control Number: 10/003,304

Art Unit: 2811

Papers related to this application may be submitted to Technology center (TC) 2800 by facsimile transmission. Papers should be faxed to TC 2800 via the TC 2800 Fax center located in Crystal Plaza 4, room 4-C23. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The Group 2811 Fax Center number is (703) 308-7722 and 308-7724. The Group 2811 Fax Center is to be used only for papers related to Group 2811 applications.

Any inquiry concerning this communication or any earlier communication from the Examiner should be directed to *Examiner Nadav* whose telephone number is **(703) 308-8138**. The Examiner is in the Office generally between the hours of 7 AM to 4 PM (Eastern Standard Time) Monday through Friday.

Any inquiry of a general nature or relating to the status of this application should be directed to the **Technology Center Receptionists** whose telephone number is **308-0956** 

O.N. 9/10/03 ORI NADAV
PATENT EXAMINER
TECHNOLOGY CENTER 2800

Ch Na